

12 Cal PureView Arc Flash Faceshield with Slotted Adapter











Plastic

Specs

Fabric / Material

Product Code H12HTHAT

Sizes One Size Fits Most

Stock Colors

WWW.THINKNSA.COM

Compliance

Arc Rating	12 cal/cm²
CAT Level	CAT 2
Standards	 NFPA 70E ASTM F2178 CSA Z462 ANSI/ISEA Z87.1 (Impact Rating Z81+) OSHA 1910.269

Features

* Made III the OSA	Features	 Hard hat is included Highly transparent arc flash faceshield with slotted adapter for greater range visibility Low profile chin cup Standard anti-fog/scratch resistant coating Adjustable settings allow the faceshield to be secured in various positions Lightweight design HLITEKIT sold separately Made in the USA
--------------------	----------	--

Product Care

Product Care	 DO NOT use ammonia based cleaners. DO NOT use any abrasives or polishes. NEVER use if cracked or broken. Remove from hood if applicable. Wash with warm soapy water. Mild soap only. Rinse thoroughly. Pat dry with a soft cloth. Always transport and store your faceshield, goggles, and glasses in a soft cloth bag to minize wear & tear. Wash according to the instructions above to remove any contaminants in order to maintain performance when garment becomes soiled with dirt, greases, oils, etc. If contaminants cannot be removed after laundering, it is best to discontinue use of garment.
--------------	---



WWW.THINKNSA.COM